

Capstone Precision Group

Date: 17.02.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:

Weapon: Vudoo

Comment: VGW3708


Weapon-No: 1

Comment:

Ammunition:
Customer test

Batch:
Fouler

Average:
48.34 mm



Ammo Customer test

Batch Fouler

D_{max} 48.34 mm

Width 48.31 mm



Height 15.87 mm

V_{mean} 308.6 m/sec

V_{min} 303.9 m/sec

V_{max} 315.3 m/sec



Shots 10



Ammunition:
Customer test

Batch:
Midas +

Average:
14.66 mm



Ammo Customer test

Batch Midas +

D_{max} 15.61 mm

Width 14.12 mm



Height 13.52 mm

V_{mean} 307.3 m/sec

V_{min} 304.0 m/sec

V_{max} 310.5 m/sec

Shots 20




Capstone Precision Group

Date: 17.02.2025
Distance: 50 m



Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW3708
Weapon-No: 1
Comment:


Ammunition: Customer test
Batch: X-Act
Average: 15.04 mm





Ammo Customer test
Batch X-Act
D_{max} 16.99 mm
Width 14.50 mm
Height 15.52 mm
V_{mean} 307.6 m/sec
V_{min} 303.9 m/sec
V_{max} 310.9 m/sec
Shots 20



Ammunition: Customer test
Batch: Lapua Super Long
Average: 19.23 mm



Ammo Customer test
Batch Lapua Super L
D_{max} 21.36 mm
Width 17.11 mm
Height 21.22 mm
V_{mean} 311.9 m/sec
V_{min} 308.0 m/sec
V_{max} 314.9 m/sec
Shots 20



Capstone Precision Group

Date: 17.02.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW3708



Weapon-No: 1

Comment:


Ammunition:
Center-X
Batch:
26-26559 506601
Average:
17.67 mm





Ammo Center-X
Batch 26-26559 5066
D_{max} 17.67 mm
Width 13.10 mm
Height 17.49 mm
V_{mean} 308.9 m/sec
V_{min} 306.0 m/sec
V_{max} 312.2 m/sec
Shots 10



Ammunition:
Center-X
Batch:
27-26559 506721
Average:
19.54 mm



Ammo Center-X
Batch 27-26559 5067
D_{max} 19.54 mm
Width 15.41 mm
Height 18.20 mm
V_{mean} 307.0 m/sec
V_{min} 304.1 m/sec
V_{max} 310.9 m/sec
Shots 8



Capstone Precision Group

Date: 17.02.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW3708



Weapon-No: 1

Comment:


Ammunition:
Center-X
Batch:
28-27559 708733
Average:
15.84 mm





Ammo Center-X
Batch 28-27559 7087
D_{max} 15.84 mm
Width 9.64 mm
Height 15.73 mm
V_{mean} 308.2 m/sec
V_{min} 304.7 m/sec
V_{max} 310.3 m/sec
Shots 8



Ammunition:
Center-X
Batch:
29-28559 606631
Average:
17.03 mm



Ammo Center-X
Batch 29-28559 6066
D_{max} 17.03 mm
Width 12.19 mm
Height 16.34 mm
V_{mean} 310.3 m/sec
V_{min} 307.6 m/sec
V_{max} 313.5 m/sec
Shots 9



Capstone Precision Group

Date: 17.02.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW3708



Weapon-No: 1

Comment:



Ammunition:
Center-X
Batch:
30-29559 607504
Average:
19.69 mm





Ammo Center-X
Batch 30-29559 6075
D_{max} 19.69 mm
Width 11.51 mm
Height 18.95 mm
V_{mean} 309.5 m/sec
V_{min} 307.6 m/sec
V_{max} 312.0 m/sec
Shots 10



Ammunition:
Center-X
Batch:
32-26559 505396
Average:
13.96 mm



Ammo Center-X
Batch 32-26559 5053
D_{max} 15.52 mm
Width 13.85 mm
Height 14.53 mm
V_{mean} 310.4 m/sec
V_{min} 306.3 m/sec
V_{max} 314.3 m/sec
Shots 15



Capstone Precision Group

Date: 17.02.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW3708



Weapon-No: 1

Comment:



Ammunition:
Center-X
Batch:
34-25559 506511
Average:
16.84 mm





Ammo Center-X
Batch 34-25559 5065
D_{max} 16.84 mm
Width 16.75 mm
Height 11.83 mm
V_{mean} 306.4 m/sec
V_{min} 304.6 m/sec
V_{max} 307.7 m/sec
Shots 9



Ammunition:
Center-X
Batch:
35-25559 505486
Average:
16.30 mm



Ammo Center-X
Batch 35-25559 5054
D_{max} 17.81 mm
Width 14.19 mm
Height 16.71 mm
V_{mean} 311.2 m/sec
V_{min} 306.9 m/sec
V_{max} 314.9 m/sec
Shots 14



Capstone Precision Group

Date: 17.02.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:



Weapon: Vudoo

Comment: VGW3708



Weapon-No: 1

Comment:


Ammunition:
Midas +
Batch:
M1-24559 707015
Average:
15.11 mm





Ammo Midas +
Batch M1-24559 707015
D_{max} 16.00 mm
Width 14.79 mm
Height 14.50 mm
V_{mean} 309.5 m/sec
V_{min} 305.3 m/sec
V_{max} 312.9 m/sec
Shots 20



Ammunition:
Midas +
Batch:
M2-28559 708411
Average:
17.85 mm



Ammo Midas +
Batch M2-28559 708411
D_{max} 17.85 mm
Width 15.20 mm
Height 15.69 mm
V_{mean} 308.5 m/sec
V_{min} 306.3 m/sec
V_{max} 310.7 m/sec
Shots 7



Capstone Precision Group

Date: 17.02.2025

Distance: 50 m

Tester:

Temperature: - °C

Customer:



Weapon: Vudoo

Comment: VGW3708



Weapon-No: 1

Comment:


Ammunition:
Midas +
Batch:
M5-26559 707026
Average:
14.46 mm





Ammo Midas +
Batch M5-26559 707026
D_{max} 16.13 mm
Width 13.20 mm
Height 15.55 mm
V_{mean} 308.8 m/sec
V_{min} 306.1 m/sec
V_{max} 311.5 m/sec
Shots 14



Ammunition:
Midas +
Batch:
M7-25559 506561
Average:
15.91 mm



Ammo Midas +
Batch M7-25559 506561
D_{max} 15.91 mm
Width 14.15 mm
Height 14.77 mm
V_{mean} 307.0 m/sec
V_{min} 304.2 m/sec
V_{max} 309.4 m/sec
Shots 9



Capstone Precision Group

Date: 17.02.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW3708



Weapon-No: 1

Comment:


Ammunition:
Midas +
Batch:
M10-27559 60752
Average:
17.94 mm





Ammo Midas +
Batch M10-27559 60752
D_{max} 17.94 mm
Width 12.67 mm
Height 15.71 mm
V_{mean} 309.9 m/sec
V_{min} 305.7 m/sec
V_{max} 313.9 m/sec
Shots 7



Ammunition:
Midas +
Batch:
M13-24559 60765
Average:
13.64 mm



Ammo Midas +
Batch M13-24559 60765
D_{max} 13.64 mm
Width 13.61 mm
Height 10.99 mm
V_{mean} 305.8 m/sec
V_{min} 301.7 m/sec
V_{max} 310.0 m/sec
Shots 10



Capstone Precision Group

Date: 17.02.2025

Tester:

Distance: 50 m

Temperature: - °C



Customer:

Weapon: Vudoo

Comment: VGW3708

Weapon-No: 1

Comment:



Capstone Precision Group

Date: 17.02.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:

Weapon: Vudoo

Comment: VGW3708


Weapon-No: 1

Comment:

Ammunition:
Customer test

Batch:
Fouler

Average:
93.09 mm



Ammo Customer test

Batch Fouler

D_{max} 93.09 mm

Width 91.89 mm



Height 45.91 mm

V_{mean} 288.8 m/sec

V_{min} 284.4 m/sec

V_{max} 295.4 m/sec



Shots 10



Ammunition:
Customer test

Batch:
Midas +

Average:
30.63 mm



Ammo Customer test

Batch Midas +

D_{max} 34.36 mm

Width 28.35 mm



Height 30.15 mm

V_{mean} 288.0 m/sec

V_{min} 285.1 m/sec

V_{max} 291.4 m/sec

Shots 20




Capstone Precision Group

Date: 17.02.2025
Distance: 100 m



Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW3708
Weapon-No: 1
Comment:


Ammunition: Customer test
Batch: X-Act
Average: 28.36 mm





Ammo Customer test
Batch X-Act
D_{max} 31.91 mm
Width 25.02 mm
Height 30.04 mm
V_{mean} 288.6 m/sec
V_{min} 284.8 m/sec
V_{max} 292.5 m/sec
Shots 20



Ammunition: Customer test
Batch: Lapua Super Long
Average: 37.61 mm



Ammo Customer test
Batch Lapua Super L
D_{max} 46.13 mm
Width 27.60 mm
Height 45.79 mm
V_{mean} 291.8 m/sec
V_{min} 288.1 m/sec
V_{max} 295.0 m/sec
Shots 20








Capstone Precision Group

Date: 17.02.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW3708
Weapon-No: 1
Comment:









Capstone Precision Group

Date: 17.02.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW3708
Weapon-No: 1
Comment:








Capstone Precision Group

Date: 17.02.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW3708
Weapon-No: 1
Comment:



Capstone Precision Group

Date: 17.02.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW3708
Weapon-No: 1
Comment:

Ammunition:
Center-X

Batch:
34-25559 506511

Average:
35.60 mm

#9

Ammo
Center-X

Batch
34-25559 5065

D_{max}
35.60 mm

Width
35.56 mm

Height
26.04 mm

V_{mean}
286.4 m/sec

V_{min}
284.0 m/sec

V_{max}
287.7 m/sec

Shots
9

#9

Ammunition:
Center-X

Batch:
35-25559 505486

Average:
35.02 mm

#10

#4

Ammo
Center-X

Batch
35-25559 5054

D_{max}
38.58 mm

Width
27.74 mm

Height
37.04 mm

V_{mean}
291.4 m/sec

V_{min}
287.3 m/sec

V_{max}
295.8 m/sec

Shots
14

#14



Capstone Precision Group

Date: 17.02.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW3708



Weapon-No: 1

Comment:


Ammunition:
Midas +
Batch:
M1-24559 707015
Average:
28.02 mm





Ammo Midas +
Batch M1-24559 707015
D_{max} 29.03 mm
Width 23.00 mm
Height 27.49 mm
V_{mean} 290.3 m/sec
V_{min} 285.7 m/sec
V_{max} 294.2 m/sec
Shots 20



Ammunition:
Midas +
Batch:
M2-28559 708411
Average:
35.19 mm



Ammo Midas +
Batch M2-28559 708411
D_{max} 35.19 mm
Width 29.30 mm
Height 29.35 mm
V_{mean} 288.6 m/sec
V_{min} 285.8 m/sec
V_{max} 290.5 m/sec
Shots 7



Capstone Precision Group

Date: 17.02.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:



Weapon: Vudoo

Comment: VGW3708



Weapon-No: 1

Comment:


Ammunition:
Midas +
Batch:
M5-26559 707026
Average:
29.55 mm





Ammo Midas +
Batch M5-26559 707026
D_{max} 35.42 mm
Width 21.06 mm
Height 35.30 mm
V_{mean} 289.8 m/sec
V_{min} 286.8 m/sec
V_{max} 293.6 m/sec
Shots 14



Ammunition:
Midas +
Batch:
M7-25559 506561
Average:
32.57 mm



Ammo Midas +
Batch M7-25559 506561
D_{max} 32.57 mm
Width 23.79 mm
Height 28.98 mm
V_{mean} 286.7 m/sec
V_{min} 284.5 m/sec
V_{max} 288.8 m/sec
Shots 9









Capstone Precision Group

Date: 17.02.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW3708
Weapon-No: 1
Comment:



Capstone Precision Group

Date: 17.02.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW3708
Weapon-No: 1
Comment:

Ammunition:
Midas +

Batch:
M14-28559 70832

Average:
33.67 mm

#10

AmmoMidas +

BatchM14-28559 708

D_{max}33.67 mm

Width22.64 mm

Height33.06 mm

V_{mean}289.5 m/sec

V_{min}285.6 m/sec

V_{max}292.5 m/sec

Shots10

#10

Ø33.67

Σ106.60

Score	Frequency
10.9	1
10.8	2
10.7	3
10.6	1
10.5	2
10.4	1



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:

Weapon: Vudoo

Comment: VGW T5374



Weapon-No: 4

Comment:

Ammunition:
Customer test

Batch:
Fouler

Average:
18.37 mm



Ammo Customer test

Batch Fouler

D_{max} 26.32 mm

Width 24.88 mm



Height 19.17 mm

V_{mean} 302.2 m/sec

V_{min} 298.5 m/sec

V_{max} 307.7 m/sec


Shots 15



Ammunition:
Center-X

Batch:
26-26559 506601

Average:
17.15 mm



Ammo Center-X

Batch 26-26559 5066

D_{max} 17.15 mm

Width 15.83 mm



Height 15.09 mm

V_{mean} 302.9 m/sec

V_{min} 299.0 m/sec

V_{max} 307.0 m/sec

Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T5374



Weapon-No: 4

Comment:


Ammunition:
Center-X
Batch:
27-26559 506721
Average:
19.63 mm





Ammo Center-X
Batch 27-26559 5067
D_{max} 19.63 mm
Width 13.98 mm
Height 19.35 mm
V_{mean} 303.1 m/sec
V_{min} 299.1 m/sec
V_{max} 307.5 m/sec
Shots 10



Ammunition:
Center-X
Batch:
28-27559 708733
Average:
18.00 mm



Ammo Center-X
Batch 28-27559 7087
D_{max} 18.00 mm
Width 15.74 mm
Height 14.87 mm
V_{mean} 302.0 m/sec
V_{min} 300.0 m/sec
V_{max} 304.0 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T5374



Weapon-No: 4

Comment:


Ammunition:
Center-X
Batch:
29-28559 606631
Average:
17.66 mm





Ammo Center-X
Batch 29-28559 6066
D_{max} 17.66 mm
Width 15.55 mm
Height 16.46 mm
V_{mean} 305.6 m/sec
V_{min} 303.3 m/sec
V_{max} 308.3 m/sec
Shots 10



Ammunition:
Center-X
Batch:
30-29559 607504
Average:
20.37 mm



Ammo Center-X
Batch 30-29559 6075
D_{max} 20.37 mm
Width 17.47 mm
Height 18.63 mm
V_{mean} 304.1 m/sec
V_{min} 301.6 m/sec
V_{max} 306.6 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T5374



Weapon-No: 4

Comment:


Ammunition:
Center-X
Batch:
32-26559 505396
Average:
13.80 mm





Ammo Center-X
Batch 32-26559 5053
D_{max} 14.29 mm
Width 13.37 mm
Height 13.60 mm
V_{mean} 302.5 m/sec
V_{min} 296.0 m/sec
V_{max} 305.8 m/sec
Shots 20



Ammunition:
Center-X
Batch:
34-25559 506511
Average:
19.96 mm



Ammo Center-X
Batch 34-25559 5065
D_{max} 19.96 mm
Width 19.62 mm
Height 14.59 mm
V_{mean} 301.1 m/sec
V_{min} 298.4 m/sec
V_{max} 305.2 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T5374



Weapon-No: 4

Comment:


Ammunition:
Center-X
Batch:
35-25559 505486
Average:
14.40 mm





Ammo Center-X
Batch 35-25559 5054
D_{max} 15.43 mm
Width 13.36 mm
Height 14.14 mm
V_{mean} 303.8 m/sec
V_{min} 299.4 m/sec
V_{max} 310.2 m/sec
Shots 20



Ammunition:
Midas +
Batch:
M1-24559 707015
Average:
15.96 mm



Ammo Midas +
Batch M1-24559 7070
D_{max} 19.01 mm
Width 13.87 mm
Height 18.75 mm
V_{mean} 302.3 m/sec
V_{min} 297.4 m/sec
V_{max} 305.2 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:

Weapon: Vudoo

Comment: VGW T5374

Weapon-No: 4

Comment:

Ammunition:


Midas +

Batch:



M2-28559 70841

Average:

17.70 mm



Ammo Midas +
Batch M2-28559 7084
D_{max} 17.70 mm
Width 14.34 mm
Height 16.76 mm
V_{mean} 304.1 m/sec
V_{min} 302.4 m/sec
V_{max} 306.3 m/sec
Shots 10



Ammunition:


Midas +

Batch:



M5-26559 707026

Average:

18.81 mm



Ammo Midas +
Batch M5-26559 7070
D_{max} 18.81 mm
Width 18.40 mm
Height 14.92 mm
V_{mean} 305.7 m/sec
V_{min} 302.3 m/sec
V_{max} 308.7 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:

Weapon: Vudoo

Comment: VGW T5374

Weapon-No: 4

Comment:

Ammunition:


Midas +

Batch:



M7-25559 50656

Average:

17.05 mm



Ammo Midas +
Batch M7-25559 50656
D_{max} 17.05 mm
Width 15.98 mm
Height 11.81 mm
V_{mean} 303.6 m/sec
V_{min} 300.7 m/sec
V_{max} 305.9 m/sec
Shots 10



Ammunition:


Midas +

Batch:



M10-27559 60752

Average:

15.42 mm



Ammo Midas +
Batch M10-27559 60752
D_{max} 15.42 mm
Width 14.35 mm
Height 13.18 mm
V_{mean} 302.1 m/sec
V_{min} 300.3 m/sec
V_{max} 305.4 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T5374



Weapon-No: 4

Comment:


Ammunition:
Midas +
Batch:
M11-26559 70806
Average:
22.76 mm





Ammo Midas +
Batch M11-26559 70806
D_{max} 22.76 mm
Width 20.12 mm
Height 16.64 mm
V_{mean} 303.5 m/sec
V_{min} 299.0 m/sec
V_{max} 307.7 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M13-24559 60765
Average:
16.73 mm



Ammo Midas +
Batch M13-24559 60765
D_{max} 16.73 mm
Width 14.96 mm
Height 14.52 mm
V_{mean} 302.8 m/sec
V_{min} 299.9 m/sec
V_{max} 305.4 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025
Distance: 50 m

Tester:
Temperature: - °C


Customer:
Weapon: Vudoo
Comment: VGW T5374
Weapon-No: 4
Comment:

Ammunition:
Midas +

Batch:
M14-28559 70832

Average:
19.68 mm

#10



Ammo
Midas +

Batch
M14-28559 70832

D_{max}
19.68 mm

Width
17.94 mm

Height
13.23 mm


V_{mean}
304.0 m/sec


V_{min}
301.5 m/sec

V_{max}
307.7 m/sec

Shots
10

#10





Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:

Weapon: Vudoo

Comment: VGW T5374


Weapon-No: 4

Comment:



Ammunition:
Customer test

Batch:
Fouler


Average:
30.27 mm





Ammo Customer test
Batch Fouler
D_{max} 46.35 mm
Width 44.41 mm
Height 37.42 mm
V_{mean} 282.2 m/sec
V_{min} 278.6 m/sec
V_{max} 287.2 m/sec
Shots 15



Ammunition:
Center-X
Batch:
26-26559 506601
Average:
37.50 mm



Ammo Center-X
Batch 26-26559 5066
D_{max} 37.50 mm
Width 25.35 mm
Height 35.36 mm
V_{mean} 282.3 m/sec
V_{min} 278.6 m/sec
V_{max} 286.1 m/sec
Shots 10








Capstone Precision Group

Date: 22.01.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW T5374
Weapon-No: 4
Comment:








Capstone Precision Group

Date: 22.01.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW T5374
Weapon-No: 4
Comment:



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T5374



Weapon-No: 4

Comment:


Ammunition:
Center-X
Batch:
32-26559 505396
Average:
26.93 mm





Ammo Center-X
Batch 32-26559 5053
D_{max} 28.40 mm
Width 24.20 mm
Height 26.12 mm
V_{mean} 282.9 m/sec
V_{min} 277.1 m/sec
V_{max} 285.8 m/sec
Shots 20



Ammunition:
Center-X
Batch:
34-25559 506511
Average:
35.67 mm



Ammo Center-X
Batch 34-25559 5065
D_{max} 35.67 mm
Width 29.83 mm
Height 31.48 mm
V_{mean} 280.5 m/sec
V_{min} 278.1 m/sec
V_{max} 284.1 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T5374



Weapon-No: 4

Comment:


Ammunition:
Center-X
Batch:
35-25559 505486
Average:
27.50 mm





Ammo Center-X
Batch 35-25559 5054
D_{max} 29.28 mm
Width 23.35 mm
Height 29.20 mm
V_{mean} 283.6 m/sec
V_{min} 279.7 m/sec
V_{max} 289.7 m/sec
Shots 20



Ammunition:
Midas +
Batch:
M1-24559 707015
Average:
29.58 mm



Ammo Midas +
Batch M1-24559 7070
D_{max} 32.47 mm
Width 21.05 mm
Height 32.47 mm
V_{mean} 283.0 m/sec
V_{min} 278.7 m/sec
V_{max} 285.7 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T5374



Weapon-No: 4

Comment:


Ammunition:
Midas +
Batch:
M2-28559 70841
Average:
34.01 mm





Ammo Midas +
Batch M2-28559 7084
D_{max} 34.01 mm
Width 24.57 mm
Height 32.81 mm
V_{mean} 283.2 m/sec
V_{min} 281.9 m/sec
V_{max} 285.4 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M5-26559 707026
Average:
34.16 mm



Ammo Midas +
Batch M5-26559 7070
D_{max} 34.16 mm
Width 31.06 mm
Height 27.38 mm
V_{mean} 285.9 m/sec
V_{min} 282.8 m/sec
V_{max} 288.8 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T5374



Weapon-No: 4

Comment:


Ammunition:
Midas +
Batch:
M7-25559 50656
Average:
30.29 mm





Ammo Midas +
Batch M7-25559 50656
D_{max} 30.29 mm
Width 26.26 mm
Height 22.15 mm
V_{mean} 283.1 m/sec
V_{min} 280.3 m/sec
V_{max} 284.8 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M10-27559 60752
Average:
31.70 mm



Ammo Midas +
Batch M10-27559 60752
D_{max} 31.70 mm
Width 27.32 mm
Height 24.91 mm
V_{mean} 281.6 m/sec
V_{min} 279.6 m/sec
V_{max} 284.6 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T5374



Weapon-No: 4

Comment:


Ammunition:
Midas +
Batch:
M11-26559 70806
Average:
39.01 mm





Ammo Midas +
Batch M11-26559 70806
D_{max} 39.01 mm
Width 37.32 mm
Height 28.62 mm
V_{mean} 283.3 m/sec
V_{min} 279.2 m/sec
V_{max} 287.2 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M13-24559 60765
Average:
35.85 mm



Ammo Midas +
Batch M13-24559 60765
D_{max} 35.85 mm
Width 25.91 mm
Height 33.92 mm
V_{mean} 282.9 m/sec
V_{min} 280.3 m/sec
V_{max} 285.1 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025
Distance: 100 m


Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW T5374
Weapon-No: 4
Comment:

Ammunition:
Midas +

Batch:
M14-28559 70832

Average:
34.71 mm



Ammo
Midas +

Batch
M14-28559 70832

D_{max}
34.71 mm

Width
30.86 mm


Height
28.01 mm


V_{mean}
283.3 m/sec

V_{min}
281.0 m/sec

V_{max}
287.0 m/sec

Shots
10





Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:

Weapon: Vudoo

Comment: V-00127T


Weapon-No: 3

Comment:

Ammunition:
Customer test

Batch:
Fouler

Average:
23.37 mm



Ammo Customer test

Batch Fouler

D_{max} 23.37 mm

Width 16.28 mm



Height 22.46 mm

V_{mean} 293.8 m/sec

V_{min} 279.8 m/sec

V_{max} 302.6 m/sec


Shots 10



Ammunition:
Center-X

Batch:
26-26559 506601

Average:
18.83 mm



Ammo Center-X

Batch 26-26559 5066

D_{max} 18.83 mm

Width 16.49 mm



Height 17.82 mm

V_{mean} 294.8 m/sec

V_{min} 292.1 m/sec

V_{max} 296.7 m/sec

Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:


Ammunition:
Center-X
Batch:
27-26559 506721
Average:
12.23 mm





Ammo Center-X
Batch 27-26559 5067
D_{max} 14.11 mm
Width 13.98 mm
Height 12.90 mm
V_{mean} 296.0 m/sec
V_{min} 291.4 m/sec
V_{max} 298.4 m/sec
Shots 20



Ammunition:
Center-X
Batch:
28-27559 708733
Average:
16.82 mm



Ammo Center-X
Batch 28-27559 7087
D_{max} 16.82 mm
Width 14.27 mm
Height 13.33 mm
V_{mean} 296.2 m/sec
V_{min} 292.4 m/sec
V_{max} 300.0 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:


Ammunition:
Center-X
Batch:
29-28559 606631
Average:
14.59 mm





Ammo Center-X
Batch 29-28559 6066
D_{max} 14.59 mm
Width 13.52 mm
Height 13.17 mm
V_{mean} 299.7 m/sec
V_{min} 296.9 m/sec
V_{max} 302.5 m/sec
Shots 10



Ammunition:
Center-X
Batch:
30-29559 607504
Average:
16.97 mm



Ammo Center-X
Batch 30-29559 6075
D_{max} 16.97 mm
Width 12.50 mm
Height 16.29 mm
V_{mean} 298.4 m/sec
V_{min} 294.4 m/sec
V_{max} 300.9 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:



Ammunition:
Center-X
Batch:
32-26559 505396
Average:
16.09 mm





Ammo Center-X
Batch 32-26559 5053
D_{max} 16.09 mm
Width 12.07 mm
Height 15.64 mm
V_{mean} 295.4 m/sec
V_{min} 291.5 m/sec
V_{max} 298.0 m/sec
Shots 10



Ammunition:
Center-X
Batch:
34-25559 506511
Average:
15.79 mm



Ammo Center-X
Batch 34-25559 5065
D_{max} 16.39 mm
Width 16.17 mm
Height 13.90 mm
V_{mean} 295.1 m/sec
V_{min} 292.0 m/sec
V_{max} 298.5 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:


Ammunition:
Center-X
Batch:
35-25559 505486
Average:
19.31 mm





Ammo Center-X
Batch 35-25559 5054
D_{max} 19.31 mm
Width 15.60 mm
Height 15.80 mm
V_{mean} 296.6 m/sec
V_{min} 292.6 m/sec
V_{max} 300.9 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M1-24559 707015
Average:
18.84 mm



Ammo Midas +
Batch M1-24559 7070
D_{max} 18.84 mm
Width 12.46 mm
Height 18.57 mm
V_{mean} 295.9 m/sec
V_{min} 293.3 m/sec
V_{max} 300.0 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:


Ammunition:
Midas +
Batch:
M2-28559 70841
Average:
16.87 mm





Ammo Midas +
Batch M2-28559 7084
D_{max} 16.87 mm
Width 12.50 mm
Height 16.26 mm
V_{mean} 299.3 m/sec
V_{min} 295.0 m/sec
V_{max} 303.2 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M5-26559 707026
Average:
17.20 mm



Ammo Midas +
Batch M5-26559 7070
D_{max} 17.20 mm
Width 14.26 mm
Height 15.34 mm
V_{mean} 298.8 m/sec
V_{min} 295.8 m/sec
V_{max} 301.7 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:


Ammunition:
Midas +
Batch:
M7-25559 50656
Average:
19.68 mm





Ammo Midas +
Batch M7-25559 50656
D_{max} 19.68 mm
Width 19.21 mm
Height 15.87 mm
V_{mean} 297.3 m/sec
V_{min} 293.1 m/sec
V_{max} 300.8 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M10-27559 60752
Average:
18.01 mm



Ammo Midas +
Batch M10-27559 60752
D_{max} 18.01 mm
Width 12.91 mm
Height 17.02 mm
V_{mean} 296.7 m/sec
V_{min} 293.5 m/sec
V_{max} 303.3 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:


Ammunition:
Midas +
Batch:
M11-26559 70806
Average:
21.01 mm





Ammo Midas +
Batch M11-26559 70806
D_{max} 21.01 mm
Width 15.01 mm
Height 20.55 mm
V_{mean} 298.4 m/sec
V_{min} 291.7 m/sec
V_{max} 303.9 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M13-24559 60765
Average:
16.46 mm



Ammo Midas +
Batch M13-24559 60765
D_{max} 16.46 mm
Width 13.99 mm
Height 15.16 mm
V_{mean} 296.4 m/sec
V_{min} 290.6 m/sec
V_{max} 299.8 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025
Distance: 50 m

Tester:
Temperature: - °C


Customer:
Weapon: Vudoo
Comment: V-00127T
Weapon-No: 3
Comment:

Ammunition:
Midas +

Batch:
M14-28559 70832

Average:
16.70 mm

#10




Ammo
Batch
D_{max}
Width
Height
V_{mean}
V_{min}
V_{max}


Midas +
M14-28559 708
16.70 mm
13.90 mm
15.26 mm
300.7 m/sec
297.5 m/sec
305.7 m/sec

Shots
10

#10



3



www.megalink.no

MLAmmo - 23.34.00 License: Lapua Rimfire Performance West







Test ID: 1760 - Lane 1 / 2 - Page 9 / 9

Capstone Precision Group

Date: 22.01.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: V-00127T
Weapon-No: 3
Comment:



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:


Ammunition:
Center-X
Batch:
27-26559 506721
Average:
25.51 mm





Ammo Center-X
Batch 27-26559 5067
D_{max} 29.02 mm
Width 23.95 mm
Height 28.54 mm
V_{mean} 275.9 m/sec
V_{min} 272.2 m/sec
V_{max} 278.0 m/sec
Shots 20



Ammunition:
Center-X
Batch:
28-27559 708733
Average:
37.28 mm



Ammo Center-X
Batch 28-27559 7087
D_{max} 37.28 mm
Width 22.28 mm
Height 32.54 mm
V_{mean} 275.8 m/sec
V_{min} 268.4 m/sec
V_{max} 279.6 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:


Ammunition:
Center-X
Batch:
29-28559 606631
Average:
31.32 mm





Ammo Center-X
Batch 29-28559 6066
D_{max} 31.32 mm
Width 28.36 mm
Height 27.35 mm
V_{mean} 279.7 m/sec
V_{min} 277.0 m/sec
V_{max} 282.1 m/sec
Shots 10



Ammunition:
Center-X
Batch:
30-29559 607504
Average:
34.38 mm



Ammo Center-X
Batch 30-29559 6075
D_{max} 34.38 mm
Width 16.65 mm
Height 34.35 mm
V_{mean} 278.4 m/sec
V_{min} 274.9 m/sec
V_{max} 280.8 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: V-00127T
Weapon-No: 3
Comment:

Ammunition:
Center-X

Batch:
32-26559 505396

Average:
33.89 mm

#10

Ammo
Center-X

Batch
32-26559 5053

D_{max}
33.89 mm

Width
19.68 mm

Height
33.80 mm

V_{mean}
275.9 m/sec

V_{min}
271.8 m/sec

V_{max}
278.5 m/sec

Shots
10

#10

Ammunition:
Center-X

Batch:
34-25559 506511

Average:
32.06 mm

#10

#10

Ammo
Center-X

Batch
34-25559 5065

D_{max}
36.40 mm

Width
32.47 mm

Height
27.95 mm

V_{mean}
275.0 m/sec

V_{min}
272.2 m/sec

V_{max}
278.0 m/sec

Shots
20

#20









Capstone Precision Group

Date: 22.01.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: V-00127T
Weapon-No: 3
Comment:



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:


Ammunition:
Midas +
Batch:
M2-28559 70841
Average:
41.66 mm





Ammo Midas +
Batch M2-28559 70841
D_{max} 41.66 mm
Width 22.18 mm
Height 40.38 mm
V_{mean} 278.9 m/sec
V_{min} 275.4 m/sec
V_{max} 282.5 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M5-26559 707026
Average:
30.51 mm



Ammo Midas +
Batch M5-26559 707026
D_{max} 30.51 mm
Width 23.96 mm
Height 27.61 mm
V_{mean} 279.7 m/sec
V_{min} 277.0 m/sec
V_{max} 282.1 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:


Ammunition:
Midas +
Batch:
M7-25559 50656
Average:
44.16 mm





Ammo Midas +
Batch M7-25559 50656
D_{max} 44.16 mm
Width 29.36 mm
Height 43.68 mm
V_{mean} 277.2 m/sec
V_{min} 273.4 m/sec
V_{max} 280.4 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M10-27559 60752
Average:
44.31 mm



Ammo Midas +
Batch M10-27559 60752
D_{max} 44.31 mm
Width 25.98 mm
Height 39.09 mm
V_{mean} 276.9 m/sec
V_{min} 274.1 m/sec
V_{max} 282.4 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: V-00127T



Weapon-No: 3

Comment:


Ammunition:
Midas +
Batch:
M11-26559 70806
Average:
62.91 mm





Ammo Midas +
Batch M11-26559 70806
D_{max} 62.91 mm
Width 20.34 mm
Height 62.66 mm
V_{mean} 278.4 m/sec
V_{min} 272.0 m/sec
V_{max} 283.4 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M13-24559 60765
Average:
39.23 mm



Ammo Midas +
Batch M13-24559 60765
D_{max} 39.23 mm
Width 20.74 mm
Height 36.35 mm
V_{mean} 276.9 m/sec
V_{min} 272.2 m/sec
V_{max} 280.0 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025
Distance: 100 m

Tester:
Temperature: - °C


Customer:
Weapon: Vudoo
Comment: V-00127T
Weapon-No: 3
Comment:

Ammunition:
Midas +

Batch:
M14-28559 70832

Average:
34.51 mm

#10



Ø34.51 (106.40)

Ammo
Midas +

Batch
M14-28559 70832

D_{max}
34.51 mm

Width
25.78 mm

Height
29.94 mm


V_{mean}
280.4 m/sec

V_{min}
277.4 m/sec


V_{max}
284.7 m/sec

Shots
10

#10



Ø34.51 Σ106.40



Score	Count
10.9	2
10.8	2
10.7	1
10.5	3
10.4	2



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:

Weapon: Vudoo

Comment: VGWT4539


Weapon-No: 1

Comment:

Ammunition:
Customer test

Batch:
Fouler

Average:
16.88 mm



Ammo Customer test

Batch Fouler

D_{max} 16.88 mm

Width 14.09 mm



Height 14.89 mm

V_{mean} 291.5 m/sec

V_{min} 286.9 m/sec

V_{max} 300.9 m/sec


Shots 10



Ammunition:
Center-X

Batch:
26-26559 506601

Average:
16.51 mm



Ammo Center-X

Batch 26-26559 5066

D_{max} 16.51 mm

Width 13.27 mm



Height 15.79 mm

V_{mean} 296.1 m/sec

V_{min} 293.7 m/sec

V_{max} 299.3 m/sec

Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:



Ammunition:
Center-X
Batch:
27-26559 506721
Average:
17.11 mm





Ammo Center-X
Batch 27-26559 5067
D_{max} 17.11 mm
Width 13.92 mm
Height 15.85 mm
V_{mean} 295.2 m/sec
V_{min} 292.5 m/sec
V_{max} 298.3 m/sec
Shots 10



Ammunition:
Center-X
Batch:
28-27559 708733
Average:
14.64 mm



Ammo Center-X
Batch 28-27559 7087
D_{max} 16.34 mm
Width 16.25 mm
Height 15.48 mm
V_{mean} 295.7 m/sec
V_{min} 291.7 m/sec
V_{max} 298.5 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:



Ammunition:
Center-X
Batch:
29-28559 606631
Average:
16.92 mm





Ammo Center-X
Batch 29-28559 6066
D_{max} 16.92 mm
Width 14.09 mm
Height 14.89 mm
V_{mean} 300.8 m/sec
V_{min} 297.9 m/sec
V_{max} 303.7 m/sec
Shots 10



Ammunition:
Center-X
Batch:
30-29559 607504
Average:
13.45 mm



Ammo Center-X
Batch 30-29559 6075
D_{max} 15.50 mm
Width 13.71 mm
Height 14.83 mm
V_{mean} 297.5 m/sec
V_{min} 293.1 m/sec
V_{max} 303.3 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:


Ammunition:
Center-X
Batch:
32-26559 505396
Average:
16.07 mm





Ammo Center-X
Batch 32-26559 5053
D_{max} 16.07 mm
Width 13.84 mm
Height 14.96 mm
V_{mean} 296.9 m/sec
V_{min} 289.3 m/sec
V_{max} 302.8 m/sec
Shots 10



Ammunition:
Center-X
Batch:
34-25559 506511
Average:
16.36 mm



Ammo Center-X
Batch 34-25559 5065
D_{max} 16.36 mm
Width 11.68 mm
Height 15.38 mm
V_{mean} 294.1 m/sec
V_{min} 291.1 m/sec
V_{max} 297.8 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:


Ammunition:
Center-X
Batch:
35-25559 505486
Average:
16.82 mm





Ammo Center-X
Batch 35-25559 5054
D_{max} 16.82 mm
Width 15.56 mm
Height 12.96 mm
V_{mean} 295.2 m/sec
V_{min} 289.8 m/sec
V_{max} 300.3 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M1-24559 707015
Average:
17.84 mm



Ammo Midas +
Batch M1-24559 7070
D_{max} 17.84 mm
Width 14.15 mm
Height 14.37 mm
V_{mean} 294.8 m/sec
V_{min} 291.7 m/sec
V_{max} 300.2 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:


Ammunition:
Midas +
Batch:
M2-28559 70841
Average:
15.70 mm





Ammo Midas +
Batch M2-28559 70841
D_{max} 17.42 mm
Width 16.76 mm
Height 16.28 mm
V_{mean} 297.3 m/sec
V_{min} 294.4 m/sec
V_{max} 300.7 m/sec
Shots 20



Ammunition:
Midas +
Batch:
M5-26559 707026
Average:
18.53 mm



Ammo Midas +
Batch M5-26559 707026
D_{max} 18.53 mm
Width 11.98 mm
Height 17.14 mm
V_{mean} 298.5 m/sec
V_{min} 296.0 m/sec
V_{max} 302.8 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:


Ammunition:
Midas +
Batch:
M7-25559 50656
Average:
17.09 mm





Ammo Midas +
Batch M7-25559 50656
D_{max} 17.09 mm
Width 12.87 mm
Height 16.83 mm
V_{mean} 297.4 m/sec
V_{min} 295.2 m/sec
V_{max} 302.0 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M10-27559 60752
Average:
18.63 mm



Ammo Midas +
Batch M10-27559 60752
D_{max} 18.63 mm
Width 13.56 mm
Height 16.76 mm
V_{mean} 296.7 m/sec
V_{min} 293.7 m/sec
V_{max} 298.9 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:



Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:


Ammunition:
Midas +
Batch:
M11-26559 70806
Average:
14.72 mm





Ammo Midas +
Batch M11-26559 70806
D_{max} 15.44 mm
Width 14.27 mm
Height 13.18 mm
V_{mean} 297.2 m/sec
V_{min} 293.8 m/sec
V_{max} 301.7 m/sec
Shots 20



Ammunition:
Midas +
Batch:
M13-24559 60765
Average:
20.48 mm



Ammo Midas +
Batch M13-24559 60765
D_{max} 20.48 mm
Width 10.80 mm
Height 20.42 mm
V_{mean} 295.8 m/sec
V_{min} 291.8 m/sec
V_{max} 298.4 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:

Ammunition:
Midas +
Batch:
M14-28559 70832
Average:
15.40 mm



Ammo Midas +
Batch M14-28559 70832
D_{max} 15.40 mm
Width 15.21 mm
Height 14.98 mm
V_{mean} 297.4 m/sec
V_{min} 294.6 m/sec
V_{max} 300.3 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:

Weapon: Vudoo

Comment: VGWT4539


Weapon-No: 1

Comment:

Ammunition:
Customer test

Batch:
Fouler

Average:
49.78 mm



Ammo Customer test

Batch Fouler

D_{max} 49.78 mm

Width 20.02 mm



Height 48.87 mm

V_{mean} 272.0 m/sec

V_{min} 267.7 m/sec

V_{max} 280.7 m/sec


Shots 10



Ammunition:
Center-X

Batch:
26-26559 506601

Average:
37.54 mm



Ammo Center-X

Batch 26-26559 5066

D_{max} 37.54 mm

Width 26.27 mm



Height 37.37 mm

V_{mean} 275.5 m/sec

V_{min} 273.5 m/sec

V_{max} 278.2 m/sec

Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:



Ammunition:
Center-X
Batch:
27-26559 506721
Average:
36.18 mm





Ammo Center-X
Batch 27-26559 5067
D_{max} 36.18 mm
Width 22.59 mm
Height 36.00 mm
V_{mean} 274.8 m/sec
V_{min} 272.3 m/sec
V_{max} 277.2 m/sec
Shots 10



Ammunition:
Center-X
Batch:
28-27559 708733
Average:
26.68 mm



Ammo Center-X
Batch 28-27559 7087
D_{max} 32.87 mm
Width 24.98 mm
Height 32.78 mm
V_{mean} 275.1 m/sec
V_{min} 271.4 m/sec
V_{max} 278.4 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:



Ammunition:
Center-X
Batch:
29-28559 606631
Average:
31.84 mm




Ammo Center-X
Batch 29-28559 6066
D_{max} 31.84 mm
Width 23.21 mm
Height 29.59 mm
V_{mean} 280.0 m/sec
V_{min} 277.1 m/sec
V_{max} 282.5 m/sec
Shots 10



Ammunition:
Center-X
Batch:
30-29559 607504
Average:
27.31 mm



Ammo Center-X
Batch 30-29559 6075
D_{max} 28.65 mm
Width 21.11 mm
Height 28.10 mm
V_{mean} 277.2 m/sec
V_{min} 273.1 m/sec
V_{max} 281.8 m/sec
Shots 20









Capstone Precision Group

Date: 22.01.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGWT4539
Weapon-No: 1
Comment:









Capstone Precision Group

Date: 22.01.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGWT4539
Weapon-No: 1
Comment:



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:


Ammunition:
Midas +
Batch:
M2-28559 708411
Average:
31.24 mm





Ammo Midas +
Batch M2-28559 708411
D_{max} 34.36 mm
Width 30.06 mm
Height 33.95 mm
V_{mean} 276.8 m/sec
V_{min} 274.1 m/sec
V_{max} 280.2 m/sec
Shots 20



Ammunition:
Midas +
Batch:
M5-26559 707026
Average:
35.64 mm



Ammo Midas +
Batch M5-26559 707026
D_{max} 35.64 mm
Width 20.42 mm
Height 34.35 mm
V_{mean} 278.9 m/sec
V_{min} 276.4 m/sec
V_{max} 283.1 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:


Ammunition:
Midas +
Batch:
M7-25559 50656
Average:
36.47 mm





Ammo Midas +
Batch M7-25559 50656
D_{max} 36.47 mm
Width 21.06 mm
Height 35.79 mm
V_{mean} 276.9 m/sec
V_{min} 275.0 m/sec
V_{max} 281.1 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M10-27559 60752
Average:
40.26 mm



Ammo Midas +
Batch M10-27559 60752
D_{max} 40.26 mm
Width 25.74 mm
Height 33.85 mm
V_{mean} 275.7 m/sec
V_{min} 273.2 m/sec
V_{max} 277.4 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539



Weapon-No: 1

Comment:


Ammunition:
Midas +
Batch:
M11-26559 70806
Average:
28.95 mm





Ammo Midas +
Batch M11-26559 70806
D_{max} 30.98 mm
Width 27.80 mm
Height 23.95 mm
V_{mean} 277.1 m/sec
V_{min} 273.8 m/sec
V_{max} 280.9 m/sec
Shots 20



Ammunition:
Midas +
Batch:
M13-24559 60765
Average:
43.42 mm



Ammo Midas +
Batch M13-24559 60765
D_{max} 43.42 mm
Width 16.21 mm
Height 43.24 mm
V_{mean} 275.8 m/sec
V_{min} 272.2 m/sec
V_{max} 278.1 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGWT4539

Weapon-No: 1



Comment:

Ammunition: Midas +
Batch: M14-28559 70832
Average: 36.51 mm



Ammo Midas +
Batch M14-28559 70832
D_{max} 36.51 mm
Width 27.39 mm
Height 36.42 mm
V_{mean} 276.5 m/sec
V_{min} 274.3 m/sec
V_{max} 279.1 m/sec

Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:

Weapon: Vudoo

Comment: VGW T1632


Weapon-No: 2

Comment:

Ammunition:
Customer test



Batch:
Fouler

Average:
22.67 mm




Ammo Customer test
Batch Fouler
D_{max} 22.67 mm
Width 21.73 mm
Height 13.47 mm
V_{mean} 294.4 m/sec
V_{min} 288.0 m/sec
V_{max} 297.7 m/sec

Shots 10





Ammunition:
Center-X
Batch:
26-26559 506601
Average:
17.48 mm



Ammo Center-X
Batch 26-26559 5066
D_{max} 17.48 mm
Width 14.76 mm
Height 14.39 mm
V_{mean} 293.2 m/sec
V_{min} 291.3 m/sec
V_{max} 296.5 m/sec

Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:


Ammunition:
Center-X
Batch:
27-26559 506721
Average:
16.52 mm





Ammo Center-X
Batch 27-26559 5067
D_{max} 18.85 mm
Width 17.34 mm
Height 14.99 mm
V_{mean} 295.6 m/sec
V_{min} 292.0 m/sec
V_{max} 300.7 m/sec
Shots 20



Ammunition:
Center-X
Batch:
28-27559 708733
Average:
19.74 mm



Ammo Center-X
Batch 28-27559 7087
D_{max} 19.74 mm
Width 16.43 mm
Height 18.45 mm
V_{mean} 296.3 m/sec
V_{min} 294.4 m/sec
V_{max} 300.2 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:

Weapon: Vudoo

Comment: VGW T1632


Weapon-No: 2

Comment:

Ammunition:
Center-X



Batch:
29-28559 606631

Average:
23.81 mm



Ammo Center-X
Batch 29-28559 6066
D_{max} 23.81 mm
Width 19.59 mm
Height 19.73 mm
V_{mean} 298.6 m/sec
V_{min} 296.7 m/sec
V_{max} 301.6 m/sec


Shots 10



Ammunition:
Center-X



Batch:
30-29559 607504

Average:
19.44 mm



Ammo Center-X
Batch 30-29559 6075
D_{max} 19.44 mm
Width 13.64 mm
Height 19.30 mm
V_{mean} 299.2 m/sec
V_{min} 295.2 m/sec
V_{max} 301.8 m/sec

Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:



Ammunition:
Center-X
Batch:
32-26559 505396
Average:
18.89 mm





Ammo Center-X
Batch 32-26559 5053
D_{max} 18.89 mm
Width 14.73 mm
Height 18.42 mm
V_{mean} 296.6 m/sec
V_{min} 292.2 m/sec
V_{max} 300.7 m/sec
Shots 9



Ammunition:
Center-X
Batch:
34-25559 506511
Average:
15.69 mm



Ammo Center-X
Batch 34-25559 5065
D_{max} 16.73 mm
Width 14.83 mm
Height 14.86 mm
V_{mean} 295.8 m/sec
V_{min} 292.6 m/sec
V_{max} 298.7 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:


Ammunition:
Center-X
Batch:
35-25559 505486
Average:
17.33 mm





Ammo Center-X
Batch 35-25559 5054
D_{max} 17.33 mm
Width 12.38 mm
Height 16.69 mm
V_{mean} 297.5 m/sec
V_{min} 293.1 m/sec
V_{max} 301.4 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M1-24559 707015
Average:
16.92 mm



Ammo Midas +
Batch M1-24559 7070
D_{max} 16.92 mm
Width 16.85 mm
Height 12.14 mm
V_{mean} 297.5 m/sec
V_{min} 292.3 m/sec
V_{max} 301.2 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:


Ammunition:
Midas +
Batch:
M2-28559 70841
Average:
19.05 mm





Ammo Midas +
Batch M2-28559 7084
D_{max} 19.05 mm
Width 15.72 mm
Height 16.00 mm
V_{mean} 299.7 m/sec
V_{min} 297.0 m/sec
V_{max} 301.8 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M5-26559 707026
Average:
14.07 mm



Ammo Midas +
Batch M5-26559 7070
D_{max} 14.07 mm
Width 11.81 mm
Height 12.42 mm
V_{mean} 299.9 m/sec
V_{min} 296.2 m/sec
V_{max} 305.3 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:



Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:



Ammunition:
Midas +
Batch:
M7-25559 50656
Average:
16.33 mm





Ammo Midas +
Batch M7-25559 50656
D_{max} 23.44 mm
Width 18.92 mm
Height 18.89 mm
V_{mean} 297.8 m/sec
V_{min} 293.8 m/sec
V_{max} 300.1 m/sec
Shots 19



Ammunition:
Midas +
Batch:
M10-27559 60752
Average:
15.72 mm



Ammo Midas +
Batch M10-27559 60752
D_{max} 17.86 mm
Width 16.93 mm
Height 14.33 mm
V_{mean} 298.1 m/sec
V_{min} 291.9 m/sec
V_{max} 302.9 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 50 m

Temperature: - °C

Customer:



Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:



Ammunition:
Midas +
Batch:
M11-26559 70806
Average:
14.91 mm





Ammo Midas +
Batch M11-26559 70806
D_{max} 15.79 mm
Width 14.02 mm
Height 13.95 mm
V_{mean} 298.2 m/sec
V_{min} 294.3 m/sec
V_{max} 302.0 m/sec
Shots 20



Ammunition:
Midas +
Batch:
M13-24559 60765
Average:
14.38 mm



Ammo Midas +
Batch M13-24559 60765
D_{max} 15.73 mm
Width 15.61 mm
Height 11.98 mm
V_{mean} 298.9 m/sec
V_{min} 294.3 m/sec
V_{max} 303.8 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025
Distance: 50 m

Tester:
Temperature: - °C


Customer:
Weapon: Vudoo
Comment: VGW T1632
Weapon-No: 2
Comment:

Ammunition:
Midas +

Batch:
M14-28559 70832

Average:
19.18 mm

#10



AmmoMidas +

BatchM14-28559 70832

D_{max}19.18 mm

Width10.45 mm

Height19.01 mm


V_{mean}301.7 m/sec


V_{min}299.6 m/sec

V_{max}303.2 m/sec

Shots10

#10













Capstone Precision Group

Date: 22.01.2025
Distance: 100 m

Tester:
Temperature: - °C

Customer:
Weapon: Vudoo
Comment: VGW T1632
Weapon-No: 2
Comment:



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:


Ammunition:
Center-X
Batch:
27-26559 506721
Average:
32.59 mm





Ammo Center-X
Batch 27-26559 5067
D_{max} 38.11 mm
Width 33.59 mm
Height 28.70 mm
V_{mean} 275.3 m/sec
V_{min} 272.2 m/sec
V_{max} 279.7 m/sec
Shots 20



Ammunition:
Center-X
Batch:
28-27559 708733
Average:
46.54 mm



Ammo Center-X
Batch 28-27559 7087
D_{max} 46.54 mm
Width 32.75 mm
Height 43.30 mm
V_{mean} 276.0 m/sec
V_{min} 274.2 m/sec
V_{max} 279.9 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:


Ammunition:
Center-X
Batch:
29-28559 606631
Average:
40.17 mm





Ammo Center-X
Batch 29-28559 6066
D_{max} 40.17 mm
Width 33.51 mm
Height 31.07 mm
V_{mean} 278.5 m/sec
V_{min} 276.3 m/sec
V_{max} 281.4 m/sec
Shots 10



Ammunition:
Center-X
Batch:
30-29559 607504
Average:
39.23 mm



Ammo Center-X
Batch 30-29559 6075
D_{max} 39.23 mm
Width 21.50 mm
Height 39.20 mm
V_{mean} 278.8 m/sec
V_{min} 275.6 m/sec
V_{max} 281.2 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:



Ammunition:
Center-X
Batch:
32-26559 505396
Average:
42.08 mm





Ammo Center-X
Batch 32-26559 5053
D_{max} 42.08 mm
Width 26.15 mm
Height 41.89 mm
V_{mean} 276.9 m/sec
V_{min} 272.9 m/sec
V_{max} 280.3 m/sec
Shots 9



Ammunition:
Center-X
Batch:
34-25559 506511
Average:
29.38 mm



Ammo Center-X
Batch 34-25559 5065
D_{max} 31.90 mm
Width 23.46 mm
Height 31.76 mm
V_{mean} 275.4 m/sec
V_{min} 272.7 m/sec
V_{max} 278.0 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:


Ammunition:
Center-X
Batch:
35-25559 505486
Average:
36.37 mm





Ammo Center-X
Batch 35-25559 5054
D_{max} 36.37 mm
Width 20.72 mm
Height 34.65 mm
V_{mean} 277.3 m/sec
V_{min} 273.2 m/sec
V_{max} 280.9 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M1-24559 707015
Average:
33.51 mm



Ammo Midas +
Batch M1-24559 7070
D_{max} 33.51 mm
Width 31.73 mm
Height 21.25 mm
V_{mean} 278.1 m/sec
V_{min} 273.6 m/sec
V_{max} 281.5 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:


Ammunition:
Midas +
Batch:
M2-28559 708411
Average:
34.64 mm





Ammo Midas +
Batch M2-28559 7084
D_{max} 34.64 mm
Width 26.44 mm
Height 30.40 mm
V_{mean} 278.9 m/sec
V_{min} 276.3 m/sec
V_{max} 281.0 m/sec
Shots 10



Ammunition:
Midas +
Batch:
M5-26559 707026
Average:
37.51 mm



Ammo Midas +
Batch M5-26559 7070
D_{max} 37.51 mm
Width 22.63 mm
Height 32.58 mm
V_{mean} 280.1 m/sec
V_{min} 277.1 m/sec
V_{max} 284.8 m/sec
Shots 10



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:


Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:

Ammunition:
Midas +
Batch:
M7-25559 50656
Average:
29.81 mm





Ammo Midas +
Batch M7-25559 50656
D_{max} 44.15 mm
Width 33.74 mm
Height 35.50 mm
V_{mean} 277.4 m/sec
V_{min} 274.0 m/sec
V_{max} 279.3 m/sec
Shots 19



Ammunition:
Midas +
Batch:
M10-27559 60752
Average:
25.74 mm



Ammo Midas +
Batch M10-27559 60752
D_{max} 29.94 mm
Width 29.09 mm
Height 22.29 mm
V_{mean} 277.3 m/sec
V_{min} 271.9 m/sec
V_{max} 280.8 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025

Tester:

Distance: 100 m

Temperature: - °C

Customer:



Weapon: Vudoo

Comment: VGW T1632



Weapon-No: 2

Comment:



Ammunition:
Midas +
Batch:
M11-26559 70806
Average:
28.04 mm





Ammo Midas +
Batch M11-26559 70806
D_{max} 32.00 mm
Width 25.54 mm
Height 30.63 mm
V_{mean} 277.9 m/sec
V_{min} 274.3 m/sec
V_{max} 281.2 m/sec
Shots 20



Ammunition:
Midas +
Batch:
M13-24559 60765
Average:
26.70 mm



Ammo Midas +
Batch M13-24559 60765
D_{max} 28.97 mm
Width 27.19 mm
Height 27.13 mm
V_{mean} 278.7 m/sec
V_{min} 274.5 m/sec
V_{max} 283.5 m/sec
Shots 20



Capstone Precision Group

Date: 22.01.2025
Distance: 100 m

Tester:
Temperature: - °C


Customer:
Weapon: Vudoo
Comment: VGW T1632
Weapon-No: 2
Comment:

Ammunition:
Midas +

Batch:
M14-28559 70832

Average:
30.03 mm

#10



AmmoMidas +

BatchM14-28559 708

D_{max}30.03 mm

Width16.99 mm

Height30.03 mm


V_{mean}280.9 m/sec


V_{min}278.8 m/sec

V_{max}282.3 m/sec

Shots10

#10





Score	Count
10.8	2
10.7	1
10.6	4
10.5	3

